







Table of Contents





03.1

GU-SECURY SH2 Door Lock & Lever Handle

GU-SECURY SH2	
SH2 Door Lock	03.1. 5
SH2 Extension	03.1. 6
Solid Brass Handle & 45mm Plate Series	
Unassembled CAPRI Trim Kits	03.1. 7
Unassembled TORINO Trim Kits	03.1. 7
Unassembled VENICE Trim Kits	03.1. 8
Solid Brass Handle & 30mm Plate Series	
Unassembled ALLEGRO Trim Kits	03.1. 9
Unassembled TORINO Trim Kits	03.1. 9
Unassembled VENICE Trim Kits	03.1. 10
Zamac Handle & 45mm Plate Series	
Unassembled CAPRI Trim Kits	03.1. 11
Unassembled TORINO Trim Kits	03.1. 11
Unassembled VENICE Trim Kits	03.1. 12
Zamac Handle & 30mm Plate Series	
Unassembled ALLEGRO Trim Kits	03.1. 13
Unassembled TORINO Trim Kits	03.1. 13
Unassembled VENICE Trim Kits	
Strike Plates	03.1. 15
Accessories	03.1 <u>.17</u>

GU-SECURY SH2 Door Lock

with Latch, Deadbolt and 2 Hook Bolts









GU-SECURY SH2 Door Lock for Lever Handle				
Description	Color	PU	Part Number	
Door lock for 6' 8" doors with 45mm backset	Stainless Steel	5	6-33935-02-0-8B	
Door lock for 8' doors with 45mm backset	Stainless Steel	5	6-33935-03-0-8B	
Door lock for 6' 8" doors with 50mm backset	Stainless Steel	5	6-33935-04-0-8B	
Door lock for 8' doors with 50mm backset	Stainless Steel	5	6-33935-05-0-8B	
Door lock for 6' 8" doors with 60mm backset	Stainless Steel	5	6-33935-06-0-8B	
Door lock for 8' doors with 60mm backset	Stainless Steel	5	6-33935-07-0-8B	
	* = Color	PU = Pa	ackaging Unit	

Get Hooked on Security!

GU-SECURY SH2 locking system activates by closing the door and lifting the handle upwards. This action will engage the hooks into the strike plates which enhances the weathersealing properties and provides maximum security. You then simply turn the key or the knob to engage the deadbolt.

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn
- Lever controlled engaging and releasing steel horns and latch
- Two steel horns 1" (25mm) lock in an upward direction providing an anti-lift device
- 1" (25mm) throw on deadbolt
- Non handed, latch with build-in failsafe (anti-slam) easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- Handle height variable (36" recommended)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Extension with additional lock point is available for doors taller than 8' (6-36062-04-0-8B)
- To be used with lever handle set (US-cylinder above handle)


SH2 Extension

with Additional Hook Bolt









Extension			
Description	Color	PU	Part Number
558mm extension with rounded end	Stainless Steel	5	6-36062-04-0-8B
	* = Color	PU = Pa	ckaging Unit

- Steel horn with 1" (25mm) projection
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY SH2 door Locks (6-33935-XX-0-8B)

CAPRI – TORINO

Solid Brass Handle & 45mm Plate Series








Additional information

- Solid brass trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks





TORINO Series – Unassembled Trim Kits Description PU **Part Number** Handle sets for active doors with US-cylinder 1 K-U6492-01-0-* (cylinder included) Handle sets for semi-active doors 1 K-U6446-00-0-* (knob tail included) Handle sets for fixed doors 1 K-U6410-00-0-* * = Color PU = Packaging Unit 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter 03 04 05 11 K-U6492-01-0-* K-U6446-00-0-* K-U6410-00-0-*

VENICE

Solid Brass Handle & 45mm Plate Series



FERCO



- Solid brass trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

VENICE Series – Unass	sembled Trim Kits		
Description		PU	Part Number
Handle sets for active doc (cylinder included)	ors with US-cylinder	1	K-U6692-01-0-*
Handle sets for semi-activ (knob tail included)	ve doors	1	K-U6646-00-0-*
Handle sets for fixed door	'S	1	K-U6610-00-0-*
	* = Color	PU = P	ackaging Unit
01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter			
01 02 0	3 04 05	11	25 28
	^ ^	0.000	^ ^
		° –	
K-U6692-01-0-*	K-U6646-00-0-*		K-U6610-00-0-*

ALLEGRO – TORINO

Solid Brass Handle & 30mm Plate Series








Additional information

- Solid brass trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks





TORINO Series – Unassembled Trim Kits Description PU **Part Number** Handle sets for active doors with US-cylinder 1 K-U3492-01-0-* (cylinder included) Handle sets for semi-active doors 1 K-U3446-00-0-* (knob tail included) Handle sets for fixed doors 1 K-U3410-00-0-* * = Color PU = Packaging Unit 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter 03 04 05 11 K-U3492-01-0-* K-U3446-00-0-* K-U3410-00-0-*

VENICE

Solid Brass Handle & 30mm Plate Series







- Solid brass trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

VENICE Series – Unassembled Trim Kits				
Description		PU	Part Number	
Handle sets for active doors wi (cylinder included)	th US-cylinder	1	K-U3692-01-0-*	
Handle sets for semi-active doors (knob tail included)		1	K-U3646-00-0-*	
Handle sets for fixed doors		1	K-U3610-00-0-*	
	* = Color	PU = Pa	ckaging Unit	
01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Bi 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronz				
01 02 03	04 05	11	25 28	
K-U3692-01-0-*	K-U3646-00-0-*		K-U3610-00-0-*	

CAPRI – TORINO


Zamac Handle & 45mm Plate Series







- Zamac trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks





TORINO Series – Unassembled Trim Kits				
Description	PU	Part Number		
Handle sets for active doors with US-cylinder (cylinder included)		K-U7492-Z1-0-*		
Handle sets for semi-active doors (knob tail included)		K-U7446-Z0-0-*		
Handle sets for fixed doors	1	K-U7410-Z0-0-*		
* = Color	PU = Pa	ckaging Unit		
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter				
01 5 6 7	28			
K-U7492-Z1-O-* K-U7446-ZO-O-*) <u> </u>	K-U7410-Z0-0-*		

VENICE

Zamac Handle & 45mm Plate Series







- Zamac trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

VENICE Series – Unassembled Trim Kits				
Description		PU	Part Number	
Handle sets for active doors with US-cylinder (cylinder included)		1	K-U7692-Z1-0-*	
Handle sets for semi-active d (knob tail included)	loors	1	K-U7646-Z0-0-*	
Handle sets for fixed doors		1	K-U7610-Z0-0-*	
	* = Color	PU = Pa	ckaging Unit	
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7			PC, 28 = Pewter	
01	5 6 7	28		
K-U7692-Z1-0-*	K-U7646-70-0-*	è C	K-U7610-Z0-0-*	


ALLEGRO – TORINO

Zamac Handle & 30mm Plate Series





- Zamac trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks





TORINO Series – Unassembled Trim Kits				
Description	PU	Part Number		
Handle sets for active doors with US-cylinder (cylinder included)		K-U5492-Z1-0-*		
Handle sets for semi-active doors (knob tail included)		K-U5446-Z0-0-*		
Handle sets for fixed doors	1	K-U5410-Z0-0-*		
* = Color	PU = Pa	ckaging Unit		
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7	= White	PC, 28 = Pewter		
01 5 6 7	28			
K-U5492-Z1-0-* K-U5446-Z0-0-*	o	K-U5410-Z0-0-*		

VENICE


Zamac Handle & 30mm Plate Series







- Zamac trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks



Strike Plates

for Door Lock








Description			PU	Part Number		
Hook bolt strike plate	2		100	9-C4776-00-0-*		
	* = Color		PU = Pa	ckaging Unit		
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter						
11 = Satin Nickel, 25 = D	ark bronze, 20 - Few					

Additional information

- Solid brass or stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2 door locks





Middle Strike Plate with Extended Lip					
Description	PU	Part Number			
Latch and deadbolt strike plate for 45mm (1 3/4") thick doors	50	9-C4777-45-0-*			
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors	50	9-C4777-57-0-*			
* = Color	PU = Pa	ckaging Unit			
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter					
03 04 5 6 11	25	28			

- Solid brass or stainless steel
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

Strike Plates

for Door Lock









Bag of Strike Plates							
Description			PU	Part Number			
Bag of strike plates for 45mm (1 3/4") thick door	rs		10	K-C4770-45-0-*			
Bag of strike plates for 57mm (2 1/4") thick door	rs		10	K-C4770-57-0-*			
		PU = Pa	ckaging Unit				
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter							
03 04	5 6	11	25	28			
1981				1000			

- Solid brass or stainless steel
- Bag contains:
 - 1 middle strike plate with extended lip and clear protective film
 - 2 top and bottom oval strike plates

 - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY SH2 door locks

for Door Lock









9-C5362-32-0-8

Torx 15 T-Key			
Description	Color	PU	Part Number
Torx key	Steel	1	H-00346-15-0-0
	* = Color	PU = Pa	ckaging Unit

Additional information

■ Used for connecting SH2 and Automatic extensions

Fastening Screws			
Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
	* = Color	PU = Pa	ckaging Unit

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive

for Lever Handle



FERCO



Handle Set Color	Chips					
Description			PU	Part I	Numbe	er
Color chips			1	K-C47	'80-00	-0-0
	* =	Color	PU = Pa	ckaging	Unit	
01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter						
01 02 03	04 05	5 6	7	11	25	28
	45					



Handle Extenders						
Description				PU	Part Number	
Handle extenders				1	9-C0695-00-0-*	
* = Color				PU = F	ackaging Unit	
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 25 = Dark Bronze, 28 = Pewter						
01	03	04	05	25	28	
		180			(64)	

Additional information

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm




Fixing Plate for Dummy Trim Kits					
Description	PU	Part Number			
Fixing plate used for fixed door handle	50	6-C0800-03-0-0			
* = Color	PU = Pa	ckaging Unit			

- Made of stainless steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws

for Lever Handle







8mm Spindle					
Description		PU	Part Number		
8 x 8 x 120mm spindle (1 spindle is supplied with door handle kit)	Zinc	10	9-C0970-20-0-1		
8 x 8 x 130mm spindle	Zinc	10	9-C0970-30-0-1		
	* = Color	PU = Pa	ackaging Unit		



M5 Screws


Description	PU	Part Number
M5 x 55mm screws (2 screws are supplied with door handle kit)	1	9-U2500-55-0-*
M5 x 65mm screws (2 screws are supplied with door handle kit)	1	9-U2500-65-0-*
M5 x 70mm screws	1	9-U2500-70-0-*
M5 x 80mm screws	1	9-U2500-80-0-*
* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC,

11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter







Set Screw & Allen Key						
Description	Color	PU	Part Number			
M5 set screw (2 screws are included with door handle kit)	Stainless Steel	1	9-U6008-05-0-1			
Allen key 2.5 x 20 x 100mm (1 Allen key is supplied with door handle kit)	Black	1	9-C0955-10-0-0			
	* = Color	PU = Pa	ckaging Unit			





Knob Tail Replacement Kits						
Description	Color	PU	Part Number			
48mm knob tail with snap rings	Black	1	K-C0600-48-0-0			
72mm recutable knob tail with snap rings	Black	1	K-C0600-72-0-0			
	* = Color	PU = Pa	ackaging Unit			


- Knob tail made of tempered steel
- Used for semi-active handle trim kits

for Lever Handle




FERCO





Snap Rings						
Description	Color	PU	Part Number			
Snap ring	Black	1	9-C0645-02-0-6			
Snap ring – low profile	Black	1	9-C0645-03-0-6			
	* = Color	PU = Pa	ckaging Unit			



Washers			
Description	Color	PU	Part Number
Nylatron washer 0.25mm x 16mm (inner dia.)	Clear	1	9-C0647-25-0-0
Nylatron washer 0.5mm x 16mm (inner dia.)	Clear	1	9-C0647-50-0-0
Nylatron washer 1.0mm x 16mm (inner dia.)	Clear	1	9-C0647-10-0-0
	* = Color	PU = Pa	ackaging Unit



Color	PU	Part Number
Black	1	9-C0953-00-0-6
* = Color	PU = Pa	ckaging Unit
	Black	Black 1





Cylinders			
Description	Color	PU	Part Number
Cylinder with 52mm tail	Zinc Brass Dark Bronze PC	1 1 1	6-C0971-52-0-1 6-C0971-52-0-3 6-C0971-52-0-5
Cylinder with 64mm tail	Zinc Brass Dark Bronze PC	1 1 1	6-C0968-64-0-1 6-C0968-64-0-3 6-C0968-64-0-5
	* = Color	PU = Pa	ackaging Unit

for Strike Plate











Dust Cup – With Ed	ge		
Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-00-0-6 9-C4765-1C-0-6 9-C4765-5C-0-6
	* = Color	PU = Pa	ackaging Unit

Additional information

- Use for latch and 2 automatic latches (optional)
- Dimensions:Length: 62mmWidth: 19.5mmDepth: 25.8mm

Dust Cup – No Edge			
Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-0A-0-6 9-C4765-1C-A-6 9-C4765-5C-A-6
	* = Color	PU = Pa	ackaging Unit

Additional information

Dimensions:

- Length: 62mm - Width: 19.5mm - Depth: 16mm

Description					PU	Part Number
#8 x 5/8" (16mm) s	screws				10	K-C4763-16-6-*
		*:	= Color		PU = Pa	ckaging Unit
03 = Polished Brass, 0 11 = Satin Nickel, 25		•	•	Bronz	e PC, 6 =	Black PC,
		5	6	11	25	28

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

for Construction







Construction Handle Set			
Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
	* = Color	PU = Pa	ckaging Unit

Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



Construction Key			
Description	Color	PU	Part Number
Construction key	Black	10	9-U0001-01-0-0
	* = Color	PU = Pa	ckaging Unit

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

Wood Mount Display

for Lever Handle







, , , , , , , , , , , , , , , , , , , ,							PU	Part	Numb	er
01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Bra 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC,	ood mou	nt display	y				1	6-C9	618-00)-0-0
01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Bra 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 11 = Satin Nickel. 25 = Dark Bronze. 28 = Pewter				* =	: Color	-	PU = P	ackagin	g Unit	
01 02 03 04 05 5 6 7 11 25	= Oil Rubl . = Satin Ni	ed Bronze ckel, 25 =	e, 5 = Da Dark Bro	rk Bronz onze, 28	ze PC, 6 = Pewte	= Black I er	PC, 7 = \		Ξ,	ass,

Additional information

■ To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles



Wood Mount Display for	Lever Handles		
Description		PU	Part Number
Wood mount display		1	6-C9613-00-0-0
	* = Color	PU = Pa	ckaging Unit

Additional information

■ To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles

Wood Mount Display

for Lever Handle and Door Lock







Wood Mount Display Without Door Lock	or Har	ndle
Description	PU	Part Number
Wood mount display – 45mm (1 3/4") thick	1	6-C9612-01-0-0
* = Color	PU = Pa	ckaging Unit



FERCO	

QUÉBEC / MARITIMES

Ferco Ferrures de Bâtiment Inc. 2000, Rue Berlier Laval, QC H7L 4S4 Canada

T 450 973-1437 1 800 355-8810 F 450 973-7661 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES

Ferco Architectural Hardware Inc. T 905 282-9588 1 800 668-5310 F 905 282-9915

UNITED STATES

Ferco Architectural Hardware Inc. T 1 800 927-1097 F 1 888 454-0161

Edition 09.2014 | Printed in Canada

www.ferco.ca





